

Amendments to the Specification

Please replace Table 1 on pages 22, as amended in the October 2, 2007 Amendment, with the following amended Table 1, and replace Table 6 with the following amended Table 6. The net effect of these amendments is to reclassify former Example 3 as Comparative Example 9:

Table 1

		Ex. 1	Ex. 4	Ex. 5
Composition	polyamide resin (A) (parts by weight)	(1)MXD-6		
		(2)MXD-6T	100	100
		(3)MXD-7		
		(4A)MXD-6CHDA-10A		
		(4B)MXD-6CHDA-10B		
		(5A)MXD-6CHDA-20A		
	resin (B) (parts by weight)	(5B)MXD-6CHDA-20B		
		(6)nylon 66		
		(i)modified L-MDPE		7.7
		(ii)modified copolymer	38	38
Properties		(iii)modified copolymer		
		(iv)unmodified copolymer	15	7.7
		tensile strength (MPa)	35	40
		tensile elongation (%)	>160	>160
	ized impact strength (J/m) at -40°C	tensile elastic modulus (GPa)	1.6	1.8
		alcohol-containing gasoline barrier property (g·mm/m ² ·day)	680 - NB	450
		morphology structure	4.0	3.5
		average particle diameter (μm) of domain	6.8	A
			A	A
			0.8	0.7

Table 6

		Comp. Ex 7	Comp. Ex. 8	Comp. Ex. 9
Composition	(1)MXD-6	100	100	
	(2)MXD-6T			
	(3)MXD-7			<u>100</u>
	(4A)MXD-6CHDA-10A			
	(4B)MXD-6CHDA-10B			
	(5A)MXD-6CHDA-20A			
	(5B)MXD-6CHDA-20B			
	(6)nylon 66			
	(i)modified L-MDPE			
	(ii)modified copolymer	54	27	<u>54</u>
Properties	(iii)modified copolymer			
	(iv)unmodified copolymer			
	tensile strength (MPa)	39	44	<u>35</u>
	tensile elongation (%)	>160	>160	<u>>160</u>
	tensile elastic modulus (GPa)	1.6	2.0	<u>1.5</u>
	ized impact strength (J/m) at -40°C	580	230	<u>610</u>
	alcohol-containing gasoline barrier property (g·mm/m ² ·day)	15.4	0.25	<u>10.8</u>
	morphology structure	A	A	<u>A</u>
	average particle diameter (μm) of domain	0.7	0.8	<u>0.9</u>